

Report No.: 158237960a 002

Page 1 of 51

Client: ONE FOR FUN LIMITED

Contact Information: 3-5 Cambuslang Way, Gateway Office Park, Cambuslang, Glasgow, G32 8ND

Manufacturer's name: USD025

Test item(s): Toys

**Identification/
Model No(s):** Please refer to page 3

Sample obtaining method: Sending by customer

Condition at delivery: Test item complete and undamaged.

Sample Receiving date: 2021-08-20, 2021-10-18

Testing Period: 2021-08-26 to 2021-10-20

Place of testing: Chemical laboratory Hong Kong, Toys laboratory Hong Kong

Test Specification:

Please refer to "Test Result Summary List" on page 2 for details

Other information:

Country of Origin: China

The provided age grade of the item(s) : Not Provided

As per client request, the item(s) was/ were tested for the age of over 5 years.

Packaging provided: No

Our reference no. of this report: 158237960a 001

**For and on behalf of
TÜV Rheinland Hong Kong Ltd.**



Amenda Yung/
Project Manager

2022-06-09

Date

Name/Position



Wong Yiu Tong , Tommy/
Senior Lab Manager

2022-06-09

Date

Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.
This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.
"Decision Rule" document announced in our website (<https://www.tuv.com/landingpage/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

Test Result Summary :**Test Specification:****Test result:**

- | | |
|---|------|
| 1 EN 71-1:2014+A1:2018 Mechanical and physical properties
(As per client request, Clause 4.2 - Assembly, 7 - Warnings and instructions and
2009/48/EC Labeling requirement were excluded in this test report) | PASS |
| 2 EN 71-2:2020 Flammability | PASS |
| 3 EN 71-3:2019+A1:2021 Migration of 19 Elements | PASS |
| 4 Total Cadmium Content - REACH regulation (EC) No. 1907/2006 Annex XVII
Item 23 and its amendments (EC) No. 552/2009, (EU) No. 494/2011, (EU) No.
835/2012 and (EU) No. 217/2016. | PASS |
| 5 REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex
XVII entry 51 and entry 52 : Phthalates | PASS |
| RoHS (recast): Restriction of the Use of Certain Hazardous Substances in
Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment
Directive (EU) 2015/863: Phthalates | PASS |

Identification/ Model No(s):

SV13037	NEBUFLASH SCOOTER PINK
SV13038	NEBUFLASH SCOOTER BLUE
SV13988	UNICORN DREAMLAND SCOOTER WITH FLASHING WHEELS
SV14697	DINOSAUR SCOOTER WITH 2 LIGHT UP WHEELS
SV15826	POOP SCOOT WITH FLASHING WHEELS
SV20596	MERMAID SCOOTER WITH FLASHING WHEELS
SV20890	TIE DYE SCOOTER WITH FLASHING WHEELS
SV20891	RAINBOW SCOOTER WITH FLASHING WHEELS
SV20940	DINO FLASHING WHEEL SCOOTER - FUNKY DEALS
SV14699	NEBULUS DINOSAUR SCOOTER
SV14713	UNICORN MAGICAL SPARKLES SCOOTER
SV15398	NEBULUS SCOOTER BLACK WITH BLUE CHROME FINISH
SV15400	NEBULUS SCOOTER BLACK WITH PINK CHROME FINISH
SV15402	FLAMINGO SCOOTER WITH 2 LIGHT UP WHEELS
SV15404	NEBULUS SCOOTER GORILLA
SV15405	LION SCOOTER
SV15407	NEBULUS SCOOTER WHITE WITH BLUE
SV15409	NEBULUS SCOOTER WHITE WITH PINK

Test Report No.: 158237960a 002

Page 4 of 51

Material List:

Item: Please refer to page 3

Material No.	Material	Color	Location
M001	Whole Product	Multicolor	[#SV13037]-Whole product;[#SV13038]-Whole product;[#SV13988]-Whole product;[#SV14697]-Whole product;[#SV15826]-Whole product;[#SV20596]-Whole product;[#SV20890]-Whole product;[#SV20891]-Whole product;[#SV20940]-Whole product;[#SV14699]-Whole product;[#SV14713]-Whole product;[#SV15398]-Whole product;[#SV15400]-Whole product;[#SV15402]-Whole product;[#SV15404]-Whole product;[#SV15405]-Whole product;[#SV15407]-Whole product;[#SV15409]-Whole product
M003	Coating	Silver	[#SV13037]-Frame;[#SV13038]-Frame;[#SV13988]-Frame;[#SV14697]-Frame;[#SV15826]-Frame;[#SV20596]-Frame;[#SV20890]-Frame;[#SV20891]-Frame;[#SV20940]-Frame;[#SV14699]-Frame;[#SV14713]-Frame;[#SV15402]-Frame;[#SV15404]-Frame;[#SV15405]-Frame
M004	Coating	Pink	[#SV14713]-Mud guard
M005	Coating	White	[#SV15407]-Frame;[#SV15409]-Frame
M006	Coating	Deep red	[#SV15405]-Mud guard
M007	Coating	Black	[#SV15826]-Mud guard;[#SV15398]-Frame;[#SV15400]-Frame
M008	Coating	Purple	[#SV15402]-Mud guard
M009	Coating	Orange	[#SV15404]-Mud guard
M010	Coating	Purple	[#SV13988]-Mud guard
M011	Coating	Multicolor	[#SV15407]-Sticker
M012	Plastic	Pink	[#SV14713]-Handle, foot step;[#SV15402]-Handle;[#SV15409]-Handle, lock
M013	Plastic	Deep pink	[#SV14713]-Clip, lock;[#SV15409]-Clip, foot step

Test Report No.: 158237960a 002

Page 5 of 51

M014	Plastic	Fushia	[#SV13037]-Wheels;[#SV13038]-Wheels, handle;[#SV13988]-Wheels, handle;[#SV14713]-Wheels;[#SV15402]-Wheels;[#SV15409]-Wheels
M015	Plastic	Black	[#SV13037]-Joint;[#SV13038]-Joint;[#SV13988]-Joint;[#SV14697]-Joint, clip, lock, foot step, handle;[#SV15826]-Joint, handle;[#SV20596]-Joint;[#SV20890]-Joint;[#SV20891]-Joint;[#SV20940]-Joint, clip, lock, foot step;[#SV14699]-Joint, clip, lock, foot step;[#SV14713]-Joint;[#SV15398]-Joint, handle;[#SV15400]-Joint;[#SV15402]-Joint;[#SV15404]-Joint, clip, lock, foot step;[#SV15405]-Joint;[#SV15407]-Joint;[#SV15409]-Joint
M016	Plastic	Translucent	[#SV13037]-Inner knob;[#SV13038]-Inner knob;[#SV13988]-Inner knob;[#SV14697]-Inner knob;[#SV15826]-Inner knob;[#SV20596]-Inner knob;[#SV20890]-Inner knob;[#SV20891]-Inner knob;[#SV20940]-Inner knob;[#SV14699]-Inner knob;[#SV14713]-Inner knob;[#SV15398]-Inner knob;[#SV15400]-Inner knob;[#SV15402]-Inner knob;[#SV15404]-Inner knob;[#SV15405]-Inner knob;[#SV15407]-Inner knob;[#SV15409]-Inner knob
M017	Plastic	White	[#SV13037]-Pole adjuster;[#SV13038]-Pole adjuster;[#SV13988]-Pole adjuster;[#SV14697]-Pole adjuster;[#SV15826]-Pole adjuster;[#SV20596]-Pole adjuster;[#SV20890]-Pole adjuster;[#SV20891]-Pole adjuster;[#SV20940]-Pole adjuster;[#SV14699]-Pole adjuster;[#SV14713]-Pole adjuster;[#SV15398]-Pole adjuster;[#SV15400]-Pole adjuster;[#SV15402]-Pole adjuster;[#SV15404]-Pole adjuster;[#SV15405]-Pole adjuster;[#SV15407]-Pole adjuster;[#SV15409]-Pole adjuster
M018	Plastic	Pale blue	[#SV15407]-Handle
M019	Plastic	Blue	[#SV15407]-Clip, lock
M020	Plastic	Blue	[#SV15826]-Clip, lock, foot step;[#SV15407]-Foot step

Test Report No.: 158237960a 002

Page 6 of 51

M021	Plastic	Blue	[#SV15407]-Wheels
M022	Plastic	Black	[#SV15400]-Handle;[#SV15405]-Handle
M023	Plastic	Orange	[#SV15405]-Clip, foot step, lock
M024	Plastic	Deep red	[#SV15405]-Wheels
M025	Plastic	Pink	[#SV15400]-Wheels
M026	Plastic	Hot pink	[#SV15400]-Clip, foot step, lock
M027	Plastic	Purple	[#SV15402]-Clip, foot step, lock
M028	Plastic	Orange	[#SV15404]-Wheels
M029	Plastic	Deep orange	[#SV15404]-Handle
M030	Plastic	Blue	[#SV14699]-Wheels
M031	Plastic	Blue	[#SV13038]-Wheels;[#SV20891]-Foot step, lock;[#SV15398]-Wheels, foot step
M032	Plastic	Blue	[#SV15398]-Clip, lock
M033	Plastic	Red	[#SV20891]-Wheels;[#SV20940]-Wheels
M034	Plastic	Hot pink	[#SV20596]-Wheels
M035	Plastic	Blue	[#SV20596]-Clip, foot step, lock, handle
M036	Plastic	Light yellow	[#SV13037]-Clip, foot step, lock, handle;[#SV15826]-Wheels;[#SV20890]-Wheel holder
M037	Plastic	Yellow	[#SV13037]-Wheel holder;[#SV20890]-Clip, foot step, lock, handle;[#SV20891]-Clip, handle
M038	Plastic	Green	[#SV14697]-Wheels;[#SV20891]-Wheels
M039	Plastic	Deep blue	[#SV20890]-Wheels
M040	Plastic	Light purple	[#SV13988]-Clip, lock, foot step
M041	Plastic	Light blue	[#SV13038]-Clip, lock, foot step, handle
M042	Plastic + printing + adhesive	White + multicolor	[#SV13037]-Sticker;[#SV13988]-Sticker;[#SV14697]-Sticker;[#SV15826]-Sticker;[#SV20596]-Sticker;[#SV20890]-Sticker;[#SV20891]-Sticker;[#SV20940]-Sticker;[#SV14699]-Sticker;[#SV14713]-Sticker;[#SV15398]-Sticker;[#SV15400]-Sticker;[#SV15402]-Sticker;[#SV15404]-Sticker;[#SV15405]-Sticker;[#SV15407]-Sticker;[#SV15409]-Sticker

Test Report No.: 158237960a 002

Page 7 of 51

M043	Plastic + printing + adhesive	Shiny silver + black	[#SV13037]-Sticker;[#SV13038]-Sticker;[#SV13988]-Sticker;[#SV14697]-Sticker;[#SV15826]-Sticker;[#SV20596]-Sticker;[#SV20890]-Sticker;[#SV20891]-Sticker;[#SV20940]-Sticker;[#SV14699]-Sticker;[#SV14713]-Sticker;[#SV15398]-Sticker;[#SV15400]-Sticker;[#SV15402]-Sticker;[#SV15404]-Sticker;[#SV15405]-Sticker;[#SV15407]-Sticker;[#SV15409]-Sticker
M044	Plastic + printing + adhesive	White/ transparent + multicolor	[#SV13037]-Foot step sticker;[#SV13038]-Foot step sticker;[#SV13988]-Foot step sticker;[#SV14697]-Foot step sticker;[#SV15826]-Foot step sticker;[#SV20596]-Foot step sticker;[#SV20890]-Foot step sticker;[#SV20891]-Foot step sticker;[#SV20940]-Foot step sticker;[#SV14699]-Foot step sticker;[#SV14713]-Foot step sticker;[#SV15398]-Foot step sticker;[#SV15400]-Foot step sticker;[#SV15402]-Foot step sticker;[#SV15404]-Foot step sticker;[#SV15405]-Foot step sticker;[#SV15407]-Foot step sticker;[#SV15409]-Foot step sticker
M045	Plastic + printing + adhesive	Transparent + multicolor	[#SV13037]-Sticker;[#SV13038]-Sticker;[#SV13988]-Sticker;[#SV14697]-Sticker;[#SV15826]-Sticker;[#SV20596]-Sticker;[#SV20890]-Sticker;[#SV20891]-Sticker;[#SV20940]-Sticker;[#SV14699]-Sticker;[#SV14713]-Sticker;[#SV15398]-Sticker;[#SV15400]-Sticker;[#SV15402]-Sticker;[#SV15404]-Sticker;[#SV15405]-Sticker;[#SV15407]-Sticker;[#SV15409]-Sticker
M046	Plastic + adhesive	White	[#SV15407]-Sticker
M047	Plastic	Pink	[#SV14713]-Tyre;[#SV15409]-Tyre
M048	Plastic	Blue	[#SV15407]-Tyre
M049	Plastic	Orange	[#SV15405]-Tyre
M050	Plastic	Pink	[#SV15400]-Tyre
M051	Plastic	Purple	[#SV15402]-Tyre
M052	Plastic	Black	[#SV15404]-Tyre

Test Report No.: 158237960a 002

Page 8 of 51

M053	Plastic	Green	[#SV14699]-Tyre
M054	Plastic	Blue	[#SV15398]-Tyre
M055	Plastic	Transparent	[#SV13037]-Tyre;[#SV13038]-Tyre; [#SV13988]-Tyre;[#SV14697]-Tyre; [#SV15826]-Tyre;[#SV20596]-Tyre; [#SV20890]-Tyre;[#SV20891]-Tyre; [#SV20940]-Tyre
M056	Foam	Pink	[#SV13037]-Handle;[#SV14713]-Handle; [#SV15409]-Handle
M057	Foam	Orange	[#SV15405]-Handle
M058	Foam	Dull pink	[#SV15400]-Handle
M059	Foam	Purple	[#SV15402]-Handle
M060	Foam	Black	[#SV15404]-Handle
M061	Foam	Green	[#SV14697]-Handle;[#SV20891]-Handle; [#SV14699]-Handle
M062	Foam	Blue	[#SV15398]-Handle
M063	Foam	Red	[#SV15826]-Handle;[#SV20940]-Handle
M064	Foam	Hot pink	[#SV20596]-Handle;[#SV20891]-Handle
M065	Foam	Purple	[#SV20890]-Handle
M066	Foam	Light purple	[#SV13988]-Handle
M067	Foam	Light blue	[#SV13038]-Handle
M069	Plastic	Black	[#SV13037]-Elastic band;[#SV13038]- Elastic band;[#SV13988]-Elastic band; [#SV14697]-Elastic band;[#SV15826]- Elastic band;[#SV20596]-Elastic band; [#SV20890]-Elastic band;[#SV20891]- Elastic band;[#SV20940]-Elastic band; [#SV14699]-Elastic band;[#SV14713]- Elastic band;[#SV15398]-Elastic band; [#SV15400]-Elastic band;[#SV15402]- Elastic band;[#SV15404]-Elastic band; [#SV15405]-Elastic band;[#SV15407]- Elastic band;[#SV15409]-Elastic band
M070	Plastic	Transparent	[#SV13037]-Light bulb;[#SV13038]-Light bulb;[#SV13988]-Light bulb;[#SV14697]- Light bulb;[#SV15826]-Light bulb; [#SV20596]-Light bulb;[#SV20890]-Light bulb;[#SV20891]-Light bulb;[#SV20940]- Light bulb

Test Report No.: 158237960a 002

Page 9 of 51

M068	Textile	Black	[#SV13037]-Elastic band;[#SV13038]-Elastic band;[#SV13988]-Elastic band;[#SV14697]-Elastic band;[#SV15826]-Elastic band;[#SV20596]-Elastic band;[#SV20890]-Elastic band;[#SV20891]-Elastic band;[#SV20940]-Elastic band;[#SV14699]-Elastic band;[#SV14713]-Elastic band;[#SV15398]-Elastic band;[#SV15400]-Elastic band;[#SV15402]-Elastic band;[#SV15404]-Elastic band;[#SV15405]-Elastic band;[#SV15407]-Elastic band;[#SV15409]-Elastic band
M009-1	Coating	Orange	[#SV15404]-Mud guard

Test Report No.: 158237960a 002

Page 10 of 51

1. EN 71-1:2014+A1:2018 Mechanical and physical properties

Test No:	T001
Material No:	M001
4. General requirements	
4.1 Material cleanliness	PASS
4.2 Assembly	Not Conducted
4.7 Edges	PASS
4.8 Points and metallic wires	PASS
4.9 Protruding parts	PASS
4.15 Toys intended to bear the mass of a child	PASS
4.15.1.3 Strength	PASS
4.15.1.4 Stability	PASS
4.15.1.6 Transmission and wheel arrangement	PASS
4.15.1.7 Adjustable seat pillar and handlebar stem minimum insertion marks	PASS
4.15.5.3 Strength	PASS
4.15.5.4 Adjustable and Folding steering tubes	PASS
4.15.5.5 Braking	PASS
4.15.5.6 Wheel size	PASS
4.15.5.7 Protruding parts	PASS
6. Packaging	PASS
7. Warnings, markings and instructions for use	
7.1 General	Not Conducted
7.2 Toys not intended for children under 36 months	Not Conducted
7.3 Latex balloons	Not Conducted
7.4 Aquatic toys	Not Conducted
7.5 Functional toys	Not Conducted
7.6 Hazardous sharp functional edges and points	Not Conducted
7.7 Projectile toys	Not Conducted
7.8 Imitation protective masks and helmets	Not Conducted
7.9 Toy kites	Not Conducted
7.10 Roller skates, inline skates, skateboards and certain other ride-on toys	Not Conducted
7.11 Toys otherwise intended to be strung across a cradle, cot, or perambulator	Not Conducted
7.12 Liquid-filled teethingers	Not Conducted
7.13 Percussion caps specifically designed for use in toys	Not Conducted
7.14 Acoustics	Not Conducted
7.15 Toy bicycles	Not Conducted

Test Report No.: 158237960a 002

Page 11 of 51

7.16 Toys intended to bear the mass of a child	Not Conducted
7.17 Toys comprising monofilament fibres	Not Conducted
7.18 Toy scooters	Not Conducted
7.19 Rocking horses and similar toys	Not Conducted
7.20 Magnetic/ electrical experimental sets	Not Conducted
7.21 Toys with electrical cables exceeding 300 mm in length	Not Conducted
7.22 Toys with cords or chains intended for children of 18 months and over but under 36 months	Not Conducted
7.23 Toys intended to be attached to a cradle, cot or perambulator	Not Conducted
7.24 Sledges with cords for pulling	Not Conducted
7.25 Flying toys	Not Conducted
7.26 Improvised projectiles	Not Conducted

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Test Report No.: 158237960a 002

Page 12 of 51

2. EN 71-2:2020 Flammability**Test result:**

Test No:	T001
Material No.	M001
4.1 General requirements	PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Test Report No.: 158237960a 002

Page 13 of 51

3. EN 71-3:2019+A1:2021 Migration of 19 Elements

Test Method: with reference to EN 71-3:2019+A1:2021, analyzed by ICP-OES / ICP-MS / LC-ICP-MS/IC-UV/GC-MS.

3) For scraped-off toy materials:
Test Result:

Test No.				T001	T002	T003
Material No.				M003	M004	M005
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	236	97	158
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	14.2	388	407
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	13.4	4.0	4.4
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	31.7	8.0	48.5
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	3.08
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	9200	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 14 of 51

Test Result:

Test No.				T004	T005	T006
Material No.				M006	M007	M008
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	21	37	417
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	429	394	169
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	48.8	3.9
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	33.4	89.2	8.1
Tin (Sn)	mg/kg	1.0	180,000	< RL	4.50	2.24
Organic Tin^	mg/kg	0.2	12	-	< RL(*2)	-
Zinc (Zn)	mg/kg	10	46,000	1760	< RL	10700

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 15 of 51

Test Result:

Test No.				T008	T009	T010
Material No.				M009-1	M010	M011
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	55	141	22
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	222	445	79.0
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	8.4	< RL
Manganese (Mn)	mg/kg	2.5	15,000	12.6	2.7	3.5
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	3.2
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	82.5	142	65.2
Tin (Sn)	mg/kg	1.0	180,000	< RL	2.66	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	184	5810	33

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 16 of 51

Test Result:

Test No.				T011	T012	T013
Material No.				M012	M013	M014
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 17 of 51

Test Result:

Test No.				T014	T015	T016
Material No.				M015	M016	M017
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	136	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 18 of 51

Test Result:

Test No.				T017	T018	T019
Material No.				M018	M019	M020
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 19 of 51

Test Result:

Test No.				T020	T021	T022
Material No.				M021	M022	M023
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 20 of 51

Test Result:

Test No.				T023	T024	T025
Material No.				M024	M025	M026
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 21 of 51

Test Result:

Test No.				T026	T027	T028
Material No.				M027	M028	M029
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 22 of 51

Test Result:

Test No.				T029	T030	T031
Material No.				M030	M031	M032
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 23 of 51

Test Result:

Test No.				T032	T033	T034
Material No.				M033	M034	M035
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 24 of 51

Test Result:

Test No.				T035	T036	T037
Material No.				M036	M037	M038
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 25 of 51

Test Result:

Test No.				T038	T039	T040
Material No.				M039	M040	M041
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 26 of 51

Test Result:

Test No.				T041	T042(*1) (72mg)	T043
Material No.				M042	M043	M044
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	3.5
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 27 of 51

Test Result:

Test No.				T044	T045	T046
Material No.				M045	M046	M047
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	3.5	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	4.1	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	25	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 28 of 51

Test Result:

Test No.				T047	T048	T049
Material No.				M048	M049	M050
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	6.25	4.47
Organic Tin^	mg/kg	0.2	12	-	4.4(*2)	3.7(*2)
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 29 of 51

Test Result:

Test No.				T050	T051	T052
Material No.				M051	M052	M053
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	< RL

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 30 of 51

Test Result:

Test No.				T053	T054	T055
Material No.				M054	M055	M056
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	2.8
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	3.5
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	< RL	< RL	169

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 31 of 51

Test Result:

Test No.				T056	T057	T058
Material No.				M057	M058	M059
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	< RL	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	3.1	< RL	2.9
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	112	139	206

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 32 of 51

Test Result:

Test No.				T059	T060	T061
Material No.				M060	M061	M062
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	4.4	< RL	< RL
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	4.6	< RL	< RL
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	< RL	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	146	176	142

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 33 of 51

Test Result:

Test No.				T062	T063	T064
Material No.				M063	M064	M065
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	< RL
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	3.7
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	< RL
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	4.0	2.6	6.0
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	18.7	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	3.35	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	177	136	145

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Test Report No.: 158237960a 002

Page 34 of 51

Test Result:

Test No.				T065	T066	T067
Material No.				M066	M067	M068
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Aluminium (Al)	mg/kg	10	28,130	< RL	< RL	23
Antimony (Sb)	mg/kg	5	560	< RL	< RL	< RL
Arsenic (As)	mg/kg	5	47	< RL	< RL	< RL
Barium (Ba)	mg/kg	2.5	18,750	< RL	< RL	4.3
Boron (B)	mg/kg	10	15,000	< RL	< RL	< RL
Cadmium (Cd)	mg/kg	1	17	< RL	< RL	< RL
Chromium III (Cr(III))	mg/kg	10	460	< RL	< RL	< RL
Chromium VI (Cr(VI))	mg/kg	0.045	0.053	< RL	< RL	< RL
Cobalt (Co)	mg/kg	2.5	130	< RL	< RL	< RL
Copper (Cu)	mg/kg	2.5	7,700	< RL	< RL	4.1
Lead (Pb)	mg/kg	2.5	23	< RL	< RL	< RL
Manganese (Mn)	mg/kg	2.5	15,000	< RL	< RL	< RL
Mercury (Hg)	mg/kg	2.5	94	< RL	< RL	< RL
Nickel (Ni)	mg/kg	2.5	930	3.2	12.0	56.1
Selenium (Se)	mg/kg	10	460	< RL	< RL	< RL
Strontium (Sr)	mg/kg	2.5	56,000	2.8	< RL	< RL
Tin (Sn)	mg/kg	1.0	180,000	< RL	< RL	< RL
Organic Tin^	mg/kg	0.2	12	-	-	-
Zinc (Zn)	mg/kg	10	46,000	241	227	168

Abbreviation:

- < less than
- RL = Reporting Limit
- mg/kg denotes milligram per kilogram
- mg denotes milligram
- ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Remark:

- * Categorization of toys materials is based on the material texture. According to point H.11 of Annex H to EN 71-3:2019+A1:2021, cosmetic materials with dry, brittle, powder like or pliable texture such as lipstick and eyeshadow are considered as category I materials. However, as a reminder, it cannot preclude the possibility that some national enforcement authorities might take a more stringent action to treat cosmetic materials as sticky and evaluate according to category II requirement as they are intended to be applied on skin and retained for long time.
- *1 According to EN 71-3:2019+A1:2021, the weight of test portion was less than 100mg, but greater than 10mg. The result was calculated as if 100mg of the samples were available.
- *2 Confirmation of Organic tin content has been performed. Result can refer to subsequent page(s) for details.

Test Report No.: 158237960a 002

Page 35 of 51

Organic tin content
Test Method: EN 71-3:2019+A1:2021, analyzed by GC-MS

Test No.			T005	T048	T049
Material No.			M007	M049	M050
Test Parameter	Unit	RL	Result	Result	Result
MeT (Methyltin cation)	mg/kg	0.2	< RL	< RL	0.4
DMT (Dimethyltin Cation)	mg/kg	0.2	< RL	4.4	3.3
BuT (Butyltin cation)	mg/kg	0.2	< RL	< RL	< RL
DBT (Dibutyltin cation)	mg/kg	0.2	< RL	< RL	< RL
TBT (Tributyltin cation)	mg/kg	0.2	< RL	< RL	< RL
TeBT (Tetrabutyltin cation)	mg/kg	0.2	< RL	< RL	< RL
MOT (Monooctyltin cation)	mg/kg	0.2	< RL	< RL	< RL
DOT (Dioctyltin cation)	mg/kg	0.2	< RL	< RL	< RL
DProT (Dipropyltin cation)	mg/kg	0.2	< RL	< RL	< RL
TcyT (Tricyclohexyltin cation)	mg/kg	0.2	< RL	< RL	< RL
DPhT (Diphenyltin cation)	mg/kg	0.2	< RL	< RL	< RL
TPhT (Triphenyltin cation)	mg/kg	0.2	< RL	< RL	< RL
Sum of Organic tin cations	mg/kg	NA	< RL	4.4	3.7
Category	NA	NA	3	3	3
Limit	mg/kg	NA	12	12	12

Remark:

- * According to Annex G of EN 71-3:2019+A1:2021, the sum of migration of organic tin shall not exceed the migration limits as below:

Category	Category I	Category II	Category III
Scope	Dry, brittle, powder-like or pliable toy materials	Liquid or sticky toy materials	Scraped-off toy materials
Limit	0.9mg/kg	0.2mg/kg	12mg/kg

Test Report No.: 158237960a 002

Page 36 of 51

4.Total Cadmium Content

Test Method: For plastic: EN 1122:2001 (method B)
 For metal and other material: Acid digestion, analyzed by AAS/ ICP-OES

Test Result:

Test No.	Material No.	Test Parameter	Unit	RL	Test Result
T001	M003 + M004 + M005	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T002	M006 + M007 + M008	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T003	M009 + M010	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T004	M011	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T005	M012 + M013 + M014	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T006	M015 + M016 + M017	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T007	M018 + M019 + M020	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T008	M021 + M022 + M023	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T009	M024 + M025 + M026	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T010	M027 + M028 + M029	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T011	M030 + M031 + M032	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-

Test Report No.: 158237960a 002

Page 37 of 51

Test No.	Material No.	Test Parameter	Unit	RL	Test Result
T012	M033 + M034 + M035	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T013	M036 + M037 + M038	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T014	M039 + M040 + M041	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T015	M042	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T016	M043	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T017	M044	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T018	M045	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T019	M046	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T020	M047 + M048 + M049	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T021	M050 + M051 + M052	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T022	M053 + M054 + M055	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T023	M056 + M057 + M058	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T024	M059 + M060 + M061	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-

Test Report No.: 158237960a 002

Page 38 of 51

Test No.	Material No.	Test Parameter	Unit	RL	Test Result
T025	M062 + M063 + M064	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T026	M065 + M066 + M067	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T027	M069	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T028	M070	Trial 1	mg/kg	10	< RL
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-

Abbreviation: < = less than
 RL = Reporting Limit
 mg/kg = milligram per kilogram

Test Report No.: 158237960a 002

Page 39 of 51

Remark:

*Regulations on Cadmium

		Maximum Permissible Limit				
EU	Legislation	Plastic materials	Paint (wet state)	Paint on the painted articles	Paint (high zinc content)	Metal parts of jewellery and imitation jewellery articles and hair accessories
EC	REACH regulation (EC) No. 1907/2006 Annex XVII Item 23 and its amendments (EC) No. 552/2009, (EU) No. 494/2011, (EU) No. 835/2012 and (EU) No. 217/2016.	100mg/kg	100mg/kg	1000mg/kg	1000mg/kg	100mg/kg

		Maximum Permissible Limit
Country	Legislation	Paint, plastic, plating/ coating of surface treatment
Switzerland	Switzerland Chemikalien-Risikoreduktions-Verordnung-ChemRRV, 814.81, 18 May 2005	100mg/kg

Test Report No.: 158237960a 002

Page 40 of 51

5. Phthalates content

Test Method: Ref. to CPSC-CH-C1001-09.4

Test Result:

Test No. Material No.				T001	T002	T003
				M003 + M004 + M005	M006 + M007 + M008	M009 + M010
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test No. Material No.				T004	T005	T006
				M011	M012 + M013 + M014	M015 + M016 + M017
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	0.008	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	0.008	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test Report No.: 158237960a 002

Page 41 of 51

Test No.				T007	T008	T009
Material No.				M018 + M019 + M020	M021 + M022 + M023	M024 + M025 + M026
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test No.				T010	T011	T012
Material No.				M027 + M028 + M029	M030 + M031 + M032	M033 + M034 + M035
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test Report No.: 158237960a 002

Page 42 of 51

Test No.				T013	T014	T015
Material No.				M036 + M037 + M038	M039 + M040 + M041	M042
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test No.				T016	T017	T018
Material No.				M043	M044	M045
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test Report No.: 158237960a 002

Page 43 of 51

Test No. Material No.				T019 M046	T020 M047 + M048 + M049	T021 M050 + M051 + M052
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	0.008	0.007
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	0.008	0.007
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test No. Material No.				T022 M053 + M054 + M055	T023 M056 + M057 + M058	T024 M059 + M060 + M061
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test Report No.: 158237960a 002

Page 44 of 51

Test No.				T025	T026	T027
Material No.				M062 + M063 + M064	M065 + M066 + M067	M069
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL	<RL	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL	< RL	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL	< RL	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL	< RL	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL	<RL	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass	Pass	Pass

Test No.				T028
Material No.				M070
Test Parameter	CAS NO	Unit	RL	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL
Sum (DEHP+DBP+BBP+DIBP)	-	%	0.005	<RL
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	< RL
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	< RL
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	< RL
Sum (DINP+ DIDP+ DNOP)	--	%	0.005	<RL
Conclusion: REACH regulation (EC) No. 1907/2006 and its amendment regulations on Annex XVII entries 51 and 52				Pass

Abbreviation: < = less than
 RL = Reporting Limit
 % = percentage

Test method: Ref. to IEC 62321-8:2017

Test result

Test Report No.: 158237960a 002

Page 45 of 51

Test No.				T001	T002	T003
Material No.				M003 + M004 + M005	M006 + M007 + M008	M009 + M010
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T004	T005	T006
Material No.				M011	M012 + M013 + M014	M015 + M016 + M017
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T007	T008	T009
Material No.				M018 + M019 + M020	M021 + M022 + M023	M024 + M025 + M026
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T010	T011	T012
Material No.				M027 + M028 + M029	M030 + M031 + M032	M033 + M034 + M035
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test Report No.: 158237960a 002

Page 46 of 51

Test No.				T013	T014	T015
Material No.				M036 + M037 + M038	M039 + M040 + M041	M042
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T016	T017	T018
Material No.				M043	M044	M045
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T019	T020	T021
Material No.				M046	M047 + M048 + M049	M050 + M051 + M052
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	0.008	0.007
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T022	T023	T024
Material No.				M053 + M054 + M055	M056 + M057 + M058	M059 + M060 + M061
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test No.				T025	T026	T027
Material No.				M062 + M063 + M064	M065 + M066 + M067	M069
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL	< RL	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL	< RL	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL	< RL	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL	< RL	< RL
Conclusion: RoHS (recast)				Pass	Pass	Pass

Test Report No.: 158237960a 002

Page 47 of 51

Test No.				T028
Material No.				M070
Test Parameter	CAS NO	Unit	RL	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	< RL
Dibutyl phthalate (DBP)	84-74-2	%	0.005	< RL
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	< RL
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	< RL
Conclusion: RoHS (recast)				Pass

Abbreviation: < = less than
 RL = Reporting Limit
 % = percentage

Remark:

- Requirement of REACH regulation (EC) No. 1907/2006 and its amendment Annex XVII entries 51 and 52:

Parameter	Unit	Maximum Permissible Limit
Plasticised materials in toys and childcare articles, or other articles# place on the market;		
Diethylhexyl phthalate (DEHP) Dibutyl phthalate (DBP) Benzylbutyl phthalate (BBP) Diisobutyl phthalate (DIBP)	%	0.1 (individually or sum of the four phthalates) Effective after 7 July 2020.
Plasticised materials in children's toy and childcare articles which can be placed in the mouth by children:		
Di-n-octyl phthalate (DNOP) Diisodecyl phthalate (DIDP) Diisononyl phthalate (DINP)	%	0.1 (sum of the three phthalates)

Denote:

Examples of articles that are excluded from the restriction

- Articles exclusively for industrial / agricultural use / use in open air, provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin (i.e. Continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day.)
 - Aircraft and motor vehicles (Directive 2007/46/EC) placed on the market before 7 January 2024, or articles for use exclusively in the maintenance or repair of them
 - Measuring devices for laboratory use;
 - Food contact material and articles within the scope of Regulation (EC) No 1935/2004 or Commission Regulation (EU) No 10/2011
 - Medical devices (Directive 90/385/EEC, 93/42/EEC or 98/79/EC)
 - Electrical and electronic equipment within the scope of Directive 2011/65/EU
 - Immediate packaging of medicinal products (Regulation (EC) No 726/2004, Directive 2001/82/EC or Directive 2001/83/EC)
- Single component with an amount below reporting limit was not considered by the calculation of the sum. In the case of all phthalates were not detected, the result is stated <RL.

Test Report No.: 158237960a 002

Page 48 of 51

- Requirement of RoHS (recast): Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU as amended by (EU) 2015/863:

Parameter	Unit	Maximum Permissible Limit
Homogeneous materials in in electrical and electronic equipment (EEE) #		
Diethylhexyl phthalate (DEHP) Dibutyl phthalate (DBP) Benzylbutyl phthalate (BBP) Diisobutyl phthalate (DIBP)	%	0.1 (Each)

Denote:


Examples of articles that are excluded from the restriction

- 1) The restriction of DEHP, BBP, DBP and DIBP shall not apply to cables or spare parts for the repair, the reuse, the updating of functionalities or upgrading of capacity of EEE placed on the market before 22 July 2019, and of medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, placed on the market before 22 July 2021.
- 2) The restriction of DEHP, BBP and DBP shall not apply to toys which are already subject to the restriction of DEHP, BBP and DBP through entry 51 of Annex XVII to Regulation (EC) No 1907/2006.

Test Report No.: 158237960a 002

Page 49 of 51

Sample Photos



Test Report No.: 158237960a 002

Page 50 of 51


Sample Photos



Test Report No.: 158237960a 002

Page 51 of 51

Sample Photos



- END -

General Terms and Conditions of Business of TÜV Rheinland in Greater China

1. **Scope**
- 1.1 These General Terms and Conditions of Business of TÜV Rheinland in Greater China ("GTBCB") are made between the client and one or more member entities of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland"). The Greater China hereto refers to Mainland China, Hong Kong and Taiwan. The client hereto includes:
- (i) a natural person capable to form legally binding contracts under the applicable laws who concludes the contract not for the purpose of a business;
- (ii) the incorporated or unincorporated entity duly organized, validly existing and capable to form legally binding contracts under the applicable law.
- 1.2 The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.
- 1.3 Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.
- 1.4 In the case of an ongoing business relationship with the client, this GTBCB shall also apply to future contracts with the client without TÜV Rheinland having to refer to them separately in each individual case.
2. **Quotations**
- Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.
3. **Coming into effect and duration of contracts**
- 3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.
- 3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.
- 3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a three-month notice prior to the end of the contractual term.
4. **Scope of services**
- 4.1 The scope and type of the services to be provided by TÜV Rheinland shall be specified in the contractually agreed service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland exists, then the written confirmation of order by TÜV Rheinland shall be decisive for the services to be provided. Unless otherwise agreed, services beyond the scope of the service description (e.g. checking the correctness and functionality of parts, processes, installations, organizations not listed in the service description, as well as the intended use and application of such) are not included. In particular, no responsibility is assumed for the design, selection of materials, construction or intended use of an examined part, product, process or plant, unless this is expressly stated in the order.
- 4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.
- 4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing of mandatory provisions require a specific procedure to be followed.
- 4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and/or order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organizations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for construction, selection and application of materials and assembly of installations examined, nor for their use and application in accordance with regulations, unless these questions are expressly covered by the contract.
- 4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or correctness of safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.
- 4.6 If mandatory legal regulations and standards or official requirements for the agreed service scope change after conclusion of the contract, with a written notice to the client, TÜV Rheinland shall be entitled to additional remuneration for resulting additional expenses.
- 4.7 The services to be provided by TÜV Rheinland under the contract are agreed exclusively with the client. A contract of third parties with the services of TÜV Rheinland, as well as making available of and justifying confidence in the work results (test reports, test results, expert reports, etc.) is not part of the agreed services. This also applies if the client passes on work results - in full or in extracts - to third parties in accordance with clause 11.4.
5. **Performance periods/dates**
- 5.1 The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed in writing by the client.
- 5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.
- 5.3 Articles 5.1 to 5.2 also apply to the agreed services. In particular, the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.
- 5.4 TÜV Rheinland is not responsible for a delay in performance, in particular if the client has not fulfilled his duties to cooperate in accordance with clause 6.1 or has not done so in time and, in particular, has not provided TÜV Rheinland with all documents and information required for the performance of the service as specified in the contract.
- 5.5 If the performance of TÜV Rheinland is delayed due to unforeseeable circumstances such as force majeure, strikes, business interruptions, governmental regulations, transport obstacles, etc., TÜV Rheinland is entitled to postpone performance for a reasonable period of time which corresponds at least to the duration of the hindrance plus any time period which may be required to resume performance.
- 5.6 If the client is obliged to comply with legal, officially prescribed and/or by the accreditator prescribed deadlines, it is the client's responsibility to agree on performance dates with TÜV Rheinland, which enable the client to comply with the legal and/or officially prescribed deadlines. TÜV Rheinland assumes no responsibility in this respect unless TÜV Rheinland expressly agreed in writing specifically stating that ensuring the deadlines is the contractual obligation of TÜV Rheinland.
6. **The client's obligation to cooperate**
- 6.1 The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and in accordance with the contract.
- 6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions. And the client represents and warrants that:
- a) It has required statutory qualifications;
- b) The product, service or management system to be certified complies with applicable laws and regulations; and
- c) It doesn't have any illegal and dishonest behaviours or is not included in the list of Enterprises with Serious Illegal Dispute Cases published by a reputable commercial bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.
- 6.3 Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.
- 6.5 The provisions of both articles 6.2 and 6.3 also apply to cases in which returned checks, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.
- 6.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.
- 6.7 TÜV Rheinland shall be entitled to demand appropriate advance payments.
- 6.8 TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client may be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.
- 6.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.
- 6.10 TÜV Rheinland shall have the right at all times to set off any amount due or payable by the client, including but not limited to setoff against any fees paid by the client under any contracts, agreement and/or orders/quotations reached with TÜV Rheinland.
9. **Acceptance of work**

- 9.1 Any part of the work result ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an installment. The client shall be obliged to accept it immediately.
- 9.2 If acceptance is required or contractually agreed in an individual case, this shall be deemed to have taken place two (2) weeks after completion and handover of the work, unless the client refuses acceptance within this period stating at least one fundamental breach of contract by TÜV Rheinland.
- 9.3 The client is not entitled to refuse acceptance due to insignificant breach of contract by TÜV Rheinland.
- 9.4 If acceptance is excluded according to the nature of the work performance of TÜV Rheinland, the completion of the work shall take its place.
- 9.5 During the Follow-Up stage, if the client was unable to make use of the time windows provided for within the scope of a certification procedure for auditing/performance by TÜV Rheinland and the certificate is therefore to be withdrawn (e.g. performance of surveillance audits), or if the contract cancels or postpones a confirmed audit date within two (2) weeks before the agreed date, TÜV Rheinland is entitled to immediately charge a lump-sum compensation of 10% of the order amount as compensation for expenses. The client reserves the right to prove that the TÜV Rheinland has incurred no damage whatsoever or only a considerably lower damage than the above lump sum.
- 9.6 Insofar as the client has undertaken in the contract to accept services, TÜV Rheinland shall also be entitled to charge lump-sum damages in the amount of 10% of the order amount as compensation for expenses if the service is not called within one year after the order has been placed. The client reserves the right to prove that the TÜV Rheinland has incurred no damage whatsoever or only a considerably lower damage than the above mentioned lump sum.

10. **Confidentiality**

- 10.1 For the purpose of these terms and conditions, "confidential information" means all know-how, trade secrets, documents, images, drawings, expertise, information, data, test results, reports, samples, project documents, pricing and financial information, customer and supplier information, marketing techniques and personnel data, tangible or intangible, that are supplied, transferred or otherwise disclosed by one Party (the "disclosing party") to the other Party (the "receiving party"), in writing or orally, in printed or electronic format. Confidential information is expressly not the data and know-how collected or compiled or otherwise disclosed by TÜV Rheinland (non-personal and not proprietary to the client) within the scope of the provision of services by TÜV Rheinland. TÜV Rheinland is entitled to store, use, further develop and pass on the data obtained in connection with the provision of services for the purposes of developing new services, improving services and analysing the provision of services.10.2. The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within the working days of oral disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party shall not take any confidentiality obligations hereunder towards such information. The client shall avoid using any third party platform and/or supplier (e.g. WeChat, etc.) for the disclosure of confidential information (non-personal and not proprietary to the client) within the scope of the provision of services by TÜV Rheinland. Instead, the client shall send any confidential information to company email of TÜV Rheinland employees through its company email. If the client suffers from any damage or other disadvantage as a result of disclosure to be caused by the adoption of any unauthorized confidential information sharing methods mentioned above, TÜV Rheinland shall be waived for any compensation liabilities.
- 10.3 All confidential information which the disclosing party discloses to the receiving party shall be kept confidential and which is created during performance of work by TÜV Rheinland: a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party; b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information to a third party in order to fulfil its contractual or legal obligations; c) may not be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.
- 10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in the confidentiality agreement. The disclosing party shall be informed of which the receiving party can furnish proof that:
- 10.5 a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or b) it was disclosed to the receiving party by a third party entitled to disclose this information; or c) the receiving party already possessed this information prior to disclosure by the disclosing party; or d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentiality clause.
- 10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and to delete all confidential information from its information system. The disclosing party in writing, at any time if so requested by the disclosing party but at the latest and without special request after termination or expiry of the contract. This does not extend to include reports and certificates prepared for the client solely for the purpose of fulfilling the obligation under the contract, which shall remain with the client. TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.
- 10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain the confidentiality of confidential information and shall not disclose this information to any third parties or use it for itself.
11. **Copyrights and rights of use, publications**
- 11.1 TÜV Rheinland shall retain all exclusive copyrights in the reports, expert reports/opinions, test reports/results, results, calculations, presentations etc. prepared by TÜV Rheinland, unless otherwise agreed by the parties in a separate agreement. As the owner of the copyrights, TÜV Rheinland is free to grant others the right to use the work results for individual or all types of use ("right of use").
- 11.2 The client receives a specific, unlimited, non-transferable, non-sublicensable right of use to the contents of the work results produced within the scope of the contract, unless otherwise agreed by the parties in a separate agreement. The client may only use such reports, expert reports/opinions, test reports/results, results, calculations, presentations etc. prepared within the scope of the contract and may not use them for any other contractual or non-contractual purpose.
- 11.3 The transfer of right of use of the generated work results is regulated in clause 11.2. of the GTBCB is subject to full payment of the remuneration agreed in favour of TÜV Rheinland.
- 11.4 The client may use work results only completely and unshortened. The client may only pass on the work results in full unless TÜV Rheinland has given its prior written consent to the partial passing on of work results.
- 11.5 Any publication or duplication of the work results for advertising purposes or any further use of the work results beyond the scope regulated in clause 11.2. and any quotation of the introduction of TÜV Rheinland need the prior written approval of TÜV Rheinland in each individual case. Besides, the client ensures that the aforementioned use shall comply with relevant applicable laws, regulations and relevant rules (including but not limited to specific applicable testing and certification rules, etc.).
- 11.6 TÜV Rheinland is entitled to give prior approval according to clause 11.5 at any time without stating reasons. In this case, the client is obliged to stop the transfer of the work results immediately at his own expense and, as far as possible, to withdraw publications.
- 11.7 The consent of TÜV Rheinland to publication or other use of confidential information does not entitle the client to use the corporate logo, corporate design or test/certification mark of TÜV Rheinland.
12. **Liability of TÜV Rheinland**
- 12.1 In respect of the legal basis, to the fullest extent permitted by applicable law, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for an annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in local currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency. The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its acutious agents. Such limitation shall not apply to damages for a person's death, physical injury or illness.
- 12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is a breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article 12.2 applies.
- 12.4 TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.
- 12.5 Unless otherwise contractually agreed in writing, TÜV Rheinland shall only be liable under the contract to the client.
- 12.6 The limitation periods for claims for damages shall be based on statutory provisions.
- 12.7 In the event of the provisions of this article 12 changes the burden of proof to the disadvantage of the client.
13. **Export control**
- 13.1 When passing on the services provided by TÜV Rheinland or parts thereof to third parties in Greater China or other regions, the client must comply with the respectively applicable regulations of national and international export control law.
- 13.2 The performance of a contract with the client is subject to the proviso that there are no obstacles to performance due to national or international foreign trade legislations or embargos and/or sanctions. In the event of a violation, TÜV Rheinland shall be entitled to terminate the contract with immediate effect and the client shall compensate for the losses incurred thereof by TÜV Rheinland.
14. **Data protection notice**

The client understands and agrees that TÜV Rheinland processes personal data (including but not limited to personal information) of the client and its related parties (including but not limited to the supplier of the client) for the purpose of fulfilling this contract. The client confirms that it has obtained the prior consent of the data subject, which entitles TÜV Rheinland to access, use, or process the personal data that the client collected or processed by itself and transferred to TÜV Rheinland. For contract services, we may also process sensitive personal data. TÜV Rheinland will use and process the data in accordance with the relevant legal basis. If any personal data has to be disclosed or transferred to any third party or any overseas party outside of the district in which the personal data was collected, the client hereby confirms that it has obtained the prior consent of the data subject. TÜV Rheinland will carry out cross-border data transmission and protect the data in compliance with the privacy and personal data security related laws and regulations in China and the local country. TÜV Rheinland will take measures to avoid any leakage, abuse, manipulation, damage or unauthorized access of personal data. The personal data will be deleted immediately as soon as a corresponding reason for deletion arises. Data subjects may exercise the following rights: right of information, right of decision, right of rectification, right of deletion, right of processing limitation, right of objection, right of data transferability. In addition, persons concerned by the data processing have the right to revoke their consent at any time with effect for the future, as well as the right to file a complaint with the competent data protection supervisory authority. For further details on the processing of personal data by TÜV Rheinland as the person responsible or contract processor, please refer to the service data protection information. You can contact the Group Data Protection Officer of TÜV Rheinland by e-mail at dataprotection@tuv.com or by post at the following address: TÜV Rheinland AG, c/o Group Data Protection Officer, Am Grauen Stein, 51165 Cologne, Germany.

15. **Retention of test material and documentation**

- 15.1 The test samples submitted by the client to TÜV Rheinland for testing will be scrapped following testing or be returned to the client at the client's request. The client reserves the right to request samples, which are placed in storage on the basis of statutory regulations or of another agreement with the client.
- 15.2 Charges apply if the test samples are stored at the premises of TÜV Rheinland. The cost of placing a test sample into storage will be disclosed to the client in the quotation.
- 15.3 If reference samples or documentations are given to the client to be placed in storage at their premises, the reference samples or documentations must be made available to TÜV Rheinland upon request promptly and free of charge. If the client, in response to such a request, is incapable of making available the reference samples and/or documentation, any liability claims for material and pecuniary damage caused by the client in connection with the certification that is brought forward by the client against TÜV Rheinland shall be voided.
- 15.4 The retention period for the documentation shall be 10 (ten) years after the expiry of the test mark certificate or until the applicable legal requirements for EUVE certificates of conformity and GS mark certificates.
- 15.5 The costs of the handover and dispatch of the test samples for storage on the client's premises are borne by the client. TÜV Rheinland will be liable for the loss of test samples or reference samples from the laboratories or warehouses of TÜV Rheinland only in case of gross negligence.

16. **Termination of the contract**

- 16.1 Notwithstanding clause 3.3 of the GTBCB, TÜV Rheinland and the client are entitled to terminate the contract in its entirety or, in the case of services consisting in one contract, each of the combined parts of the contract individually and independently of the continuation of the remaining services with six (6) months' notice to the end of the contractually agreed term. The notice period shall be shortened to six (6) weeks in case of TÜV Rheinland is prevented from performing the services due to a loss of accreditation or notification.
- 16.2 For good causes, TÜV Rheinland may consider giving a written notice to the client to terminate the contract with limited notice to the following:
- a) the client does not immediately notify TÜV Rheinland of changes in the conditions within the company which are relevant for certification or signs of such violation;
- b) the client misuses the certificate or certificate mark or uses it in violation of the contract;
- c) in the event of several consecutive delays in payment (at least three times);
- d) a substantial deterioration of the financial circumstances of the client occurs and as a result the payment claims of TÜV Rheinland under the contract are considerably endangered and TÜV Rheinland cannot reasonably be expected to continue the contractual relationship;
- e) in the event of any serious misrepresentation, be it by intentional fraud or grossly negligent behavior of the managers, employees or agents of the client.
- 16.3 If TÜV Rheinland, for reasons beyond its control, is temporarily or finally not able or entitled to continue or finalize the performance of the service, e.g. in case of force majeure, government interference, sanctions, loss of accreditation or notification, or others, TÜV Rheinland shall be entitled to a lump-sum claim for damages against the client if the conditions of a claim for damages exist. In this case, the client shall owe 15% of the remuneration to be paid until the end of the fixed contract term as lump-sum compensation. The client reserves the right to prove that there is no damage or a considerably lower damage. TÜV Rheinland reserves the right to prove a considerably higher damage in individual cases.
- 16.4 If TÜV Rheinland is also entitled to terminate the contract with written notice if the client has not been able to make use of the time windows for auditing / service provision provided by TÜV Rheinland within the scope of a certification procedure and the certificate therefore has to be withdrawn (for example during the performance of monitoring audits), clause 16.3 applies accordingly.
17. **Force Majeure**
- 17.1 "Force Majeure" means the occurrence of an event or circumstance that prevents or impedes a Party from performing one or more of its contractual obligations under the contract, if and to the extent that the Party is not responsible for the event or circumstance, and it is reasonable to expect that (i) that it could not reasonably have been foreseen at the time of the conclusion of the contract; and (ii) that the effects of the impediment could not reasonably have been avoided or overcome.
- 17.2 In the absence of proof to the contrary, the following events affecting a Party shall be presumed to fulfil the conditions (a) and (b) under paragraph 1 of this Clause: (i) war (whether declared or not), hostilities, invasion, act of armed aggression, extensive military mobilization, civil war, riot, rebellion and revolution and military or usurped power, insurrection, act of terrorism, sabotage or piracy; (ii) currency and trade restriction, embargo, sanction; (iv) act of authority whether lawful or unlawful; (v) natural disasters, including any law or governmental regulation, seizure of works, requisition, nationalization; (vi) plague, epidemic, natural disaster or extreme natural disaster; (vii) explosion, fire, destruction of equipment, prolonged break-down of transport, telecommunication, information system, power supply, general labor disturbance, such as boycott, strike and lock-out, go-slow, occupation of facilities and premises.
- 17.3 The Party successfully invoking this Clause is relieved from its duty to perform its obligations under the contract and from any liability and from its obligation to pay damages in the event of a breach of contract, from the time at which the impediment causes inability to perform, provided that the notice thereof is given without delay. If notice thereof is not given without delay, the relief is effective from the time at which the notice thereof reaches the other Party. Where the effect of the impediment or event invoked is temporary, the above consequences shall apply only as long as the impediment invoked impedes performance by the affected Party. Where the duration of the impediment invoked has the effect of substantially depriving the contracting Parties of what they were reasonably entitled to expect under the contract, either Party has the right to terminate the contract by notification within a reasonable period to the other Party. Unless otherwise agreed, if the Parties expressly agree that the contract may be terminated by either Party if the duration of the impediment exceeds 120 days.

18. **Hardship**

- 18.1 The Parties are bound to perform their contractual duties even if events have rendered performance more onerous than could reasonably have been anticipated at the time of the conclusion of the contract.
- 18.2 Notwithstanding paragraph 1 of this Clause, where a Party proves that:
- (a) The continued performance of its contractual duties has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the conclusion of the contract; and that
- (b) it could not reasonably have avoided or overcome the event or its consequences, the Parties are bound, within a reasonable time of the invocation of this Clause, to negotiate alternative contractual terms which reasonably allow to overcome the consequences of the event.
- Where Clause 18.2 applies, but where the Parties have been unable to agree alternative contractual terms as provided in that paragraph, the Party invoking this Clause is entitled to terminate the contract, but cannot request adaptation by the judge or arbitrator without the agreement of the other Party.

19. **Partial invalidity, written form, place of jurisdiction and dispute resolution**

- 19.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 17.1.
- 19.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.
- Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:
- (a) If TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.
- (b) If TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.
- (c) If TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.
- 19.4 Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiation.
- Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:
- (a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled in arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.
- (b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association, Taipei to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.
- (c) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these terms and conditions. The arbitration shall take place in Hong Kong. The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.